

MATERIAL SAFETY DATA SHEET

MANUFACTURER'S NAME: ALL WEATHER SURFACES - HAWAII, INC.
99-890 IWAENA STREET
AIEA, HI 96701
www.hawaiiansunguard.com

EMERGENCY TELEPHONE: 808-487-3043

DATE OF LAST REVISION: 02/08/05

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: SUNGUARD PRIMER-SEALER

PRODUCT CLASS: Acrylic Primer

SECTION II - HAZARDOUS INGREDIENTS

None known at hazardous level.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

APPEARANCE:	Milky white liquid	EVAPORATION RATE:	Slower than ether
BOILING POINT:	212°F	SPECIFIC GRAVITY:	(water=1) 1.0-1.2
VAPOR DENSITY:	Less than air	% VOLATILE BY VOLUME:	74%

SECTION IV - REACTIVITY DATA

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, acrylic monomers

CONDITIONS TO AVOID: Keep from freezing

INCOMPATIBILITY: None reasonably foreseeable

SECTION V - FIRE & EXPLOSION HAZARD DATA

FLAMABILITY CLASSIFICATION: Not DOT Regulated
Flash Point - Non combustible
LEL - N/A

EXTINGUISHING MEDIA: N/A

UNUSUAL FIRE & EXPLOSIONS HAZARD: Material can splatter above 212°F
Polymer film can burn.

MATERIAL SAFETY DATA SHEET

SPECIAL FIREFIGHTING PROCEDURES: For fires involving this material, do not enter any enclosed or confined space **without** proper protective gear, including self-contained breathing apparatus to protect against the hazardous effects of the normal products of combustion or oxygen deficiency.

SECTION VI - SAFE HANDLING & USE INFORMATION

RESPIRATORY PROTECTION: Wear suitable respirator (MSHA/NIOSH approved or equivalent) where exposure limits are exceeded.

VENTILATION: Mechanical local exhaust ventilation at point of containment release.

PROTECTIVE GLOVES: Impervious for prolonged or repeated contact.

EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or approved equivalent)

SECTION VII - HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

- **INHALATION:** Vapor or mist can cause irritation of the nose, throat and lungs.
- **EYE EXPOSURE:** Slightly irritating to eyes with direct contact.
- **SKIN EXPOSURE:** Irritating to skin with repeated or prolonged exposure.

EMERGENCY & FIRST AID PROCEDURES:

- **INHALATION:** Move subject to fresh air.
- **EYE & SKIN CONTACT:** Flush eyes with large amounts of water for at least 15 minutes. See a physician if irritation persists. Wash affected skin areas with soap and water.
- **INGESTION:** If swallowed, dilute by giving two glasses of water to drink. **CALL A PHYSICIAN IMMEDIATELY.**

SECTION VIII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep spectators away. Floor may be slippery, use care to avoid falling. Scoop or shovel solid material into a suitable container for recovery or disposal. Keep spills out of municipal sewers and open bodies of water.

WASTE DISPOSAL METHODS: Disposal should be in accordance with Federal, state, and local regulations.

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING & STORAGE: Keep from freezing.

OTHER PRECAUTIONS: None

UNUSUAL FIRE & EXPLOSIONS HAZARD: Material can splatter above 212°F
Polymer film can burn.